OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

#### 1 Identification

- · Product Identifier
- · Trade Name: Crawford's Natural Blend Painter's Putty
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: No further information available.
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:
  Crawford Products Co.
  16835 Algonquin St. #499
  Huntington Beach, CA 92649

Phone: 323-721-6429 Fax: 323-721-0826

· Emergency telephone number: 323-721-6429

## 2 Hazard(s) Identification

· Classification of the substance or mixture:



Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer. Route of exposure: Inhalation.



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- Label elements:
- · Hazard pictograms:





- · Signal word: Warning
- · Hazard-determining components of labeling:

**Trade Secret** 

· Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H335 May cause respiratory irritation.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

#### Trade Name: Crawford's Natural Blend Painter's Putty

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P321

Take off contaminated clothing and wash it before reuse. P362+P364 P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Store locked up. P405

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

12.2 % of the mixture consists of component(s) of unknown toxicity.

Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

Fire = 1

REACTIVITY O Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

#### 3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

Dangerous Components:	
Trade Secret	40-60%
♦ Specific Target Organ Toxicity - Single Exposure 3, H335	
Trade Secret	12.200%
Trade Secret	≤2.5%
♦ Flammable Liquids 2, H225; ♦ Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; ♦ Specific Target Organ Toxicity - Single Exposure 1, H370 Specific concentration limits: Specific Target Organ Toxicity - Single Exposure 1; H370: C ≥ 10 % Specific Target Organ Toxicity - Single Exposure 2; H371: 3 % ≤ C < 10 %	
Trade Secret  Secret Carcinogenicity 2, H351	≤2.5%

#### · Additional information:

Trade secret or proprietary made in accordance with paragraph (i) of §1910.1200 of 29 CFR 1910.1200, the OSHA Hazard Communication Standard and U.S. Code of Federal Regulations.

(Contd. on page 3)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

#### Trade Name: Crawford's Natural Blend Painter's Putty

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

## 4 First-Aid Measures

- · Description of first aid measures
- · General information: If symptoms persist, call a physician.
- After inhalation: In case of unconsciousness place patient stably in the side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

PAC-1:	
Trade Secret	530 ppm
Trade Secret	10 mg/m³
Trade Secret	30 mg/m³
· PAC-2:	
Trade Secret	2,100 ppm
Trade Secret	83 mg/m³
Trade Secret	330 mg/m³

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

### Trade Name: Crawford's Natural Blend Painter's Putty

· PAC-3:	
Trade Secret	7200* ppm
Trade Secret	500 mg/m <sup>3</sup>
Trade Secret	2,000 mg/m³

# 7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in the original container.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

## 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

· Components with occupational exposure limits:		
Trade Secre		
NIOSH	Short-term value: 5 mg/m³ Long-term value: 10 mg/m³	
NIOSH TWA	Short-term value: 5 mg/m³ Long-term value: 10 mg/m³ espirable dust	
OSHA	Short-term value: 5 mg/m³ Long-term value: 15 mg/m³	
OSHA TWA	Short-term value: 5 mg/m³ Long-term value: 15 mg/m³ espirable fraction	
Trade Secre		
TWA	Short-term value: 5 mg/m³ Long-term value: 10 mg/m³	
Trade Secre		
PEL	Long-term value: 260 mg/m³, 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI	
Trade Secre		
PEL	Long-term value: 15* mg/m³ *total dust	
	(Contd. on page 5	

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

#### Trade Name: Crawford's Natural Blend Painter's Putty

REL	REL See Pocket Guide App. A			
TLV	Long-term value: 0.2* 2.5** mg/m³ resp. fraction, *nanoscale, **finescale, A3			
· Ingr	Ingredients with biological limit values:			
Trac	de Secret			
BEI	BEI 15 mg/L			
	urine			
	end of shift			
	Methanol (background, nonspecific)			

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

#### 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Paste

Color:Off white to tan· Odor:Odorless· Odor threshold:Not determined.· pH-value:Not applicable.

: Not applicable.
(Contd. on page 6)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

Trade Name: Crawford's Natural Blend Painter's Putty

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Not determined.
Not determined.

113 °C (235.4 °F)

Flammability (solid, gaseous):
Not determined.

Not applicable

Decomposition temperature:
Not determined.

· *Ignition temperature:* Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.

• **Density @ 20 °C (68 °F):** ~2.4209 g/cm³ (~20.2024 lbs/gal)

Relative density:

 Vapor density:
 Evaporation rate:

 Not determined.
 Not applicable.

· Solubility in / Miscibility with:

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

· Solvent content:

Organic solvents: 0.5 % VOC content: 0.50 %

· Other information: No further relevant information available.

#### 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
Trade So	ecret	
Oral	LD50	6,450 mg/kg (Rat)

(Contd. on page 7)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

#### Trade Name: Crawford's Natural Blend Painter's Putty

Trade Secret			
Oral	LD50	1,187 mg/kg (Rat)	
Dermal	LD50	17,100 mg/kg (Rabbit)	
Inhalative	LC50/4 h	128.2 mg/l (Rat)	
	LC50/96 hours	15,400 mg/l (Trout)	
Trade Secret			
Oral	LD50	>10,000 mg/kg (Rat)	
Dermal	LD50	>10,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	>6.82 mg/l (Rat)	

- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Although IARC has classified "Trade Secret" as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to "Trade Secret" is thought to occur during the use of products which "Trade Secret" is bound to other materials, such as in cosmetics, paints and inks."

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

Trade Secret	2B
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	

## 12 Ecological Information

· Toxicity:

· Aquatic toxicity: Trade Secret		
	10,000 mg/l (Daphnia)	
Trade Secret		
EC50	>1,000 mg/l (Water flea)	

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

#### Trade Name: Crawford's Natural Blend Painter's Putty

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

#### 13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

### 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

Trade Secret

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

**Trade Secret** 

· California Proposition 65:



WARNING: This product can expose you to chemicals including [one or more listed chemical] which is [are] known to the State of California to cause cancer [or birth defects or other reproductive harm]. For more information, go to www.P65Warnings.ca.gov.

(Contd. on page 9)

Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Reviewed on 04/04/2023 Issue date 04/04/2023

### Trade Name: Crawford's Natural Blend Painter's Putty

· Chemicals known to cause cancer:	
Trade Secret	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
Trade Secret	
· New Jersey Right-to-Know List:	
Trade Secret	
· New Jersey Special Hazardous Substance List:	
Trade Secret	TE, F3
Trade Secret	F4, R1
· Pennsylvania Right-to-Know List:	
Trade Secret	
· Pennsylvania Special Hazardous Substance List:	
None of the ingredients are listed.	

#### · Carcinogenic categories:

· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· TLV (Threshold Limit Value established by ACGIH):	
Trade Secret	A4
Trade Secret	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health):	·
Trade Secret	

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





- · Signal word: Warning
- · Hazard-determining components of labeling:

Trade Secret

· Hazard statements:

H315 Causes skin irritation.

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

#### Trade Name: Crawford's Natural Blend Painter's Putty

H319 Causes serious eye irritation.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H335 May cause respiratory irritation.

#### · Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

#### · Contact:

#### Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 04/04/2023 Reviewed on 04/04/2023

### Trade Name: Crawford's Natural Blend Painter's Putty

BEI: Biological Exposure Limit
Flammable Liquids 2: Flammable liquids – Category 2
Acute Toxicity - Oral 3: Acute toxicity – Category 3
Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Carcinogenicity 2: Carcinogenicity – Category 2
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106